Spreader Setting Guidelines

	Cone Setting	Effective Width	Amount of Product Applied (g/m²) After One Pass														Amount of Product Applied (g/m²) After Two Passes													
			5	10	15	20	25	30	35	40	45	50	55	60	65	70	5	10	15	20	25	30	35	40	45	50	55	60	65	70
SierraformGT All Analyses	6	3.7		I½	K	L	M	M½											H	I½	J½	K								
STEP STEP Hi-Mag	7	4.3	H	I½	K½												G½	H	I											
Greenmaster Pro-Lite All Analyses	6	3.7						M	N													J½	K							
Sportsmaster All Analyses	4	3.7			L	M	N	O½	P½	Q	R	S	T	U	V	W						L	L½	M	M½	N	O	O½	P	P½
ProTurf All Analyses	6	5.0				M½	N½	O½	P	Q										J½	K½	L½	M	M½						
SierrablenPlus All Analyses	4	4.8			M	N	O	P	R	S	T								K	K½	L	M	M½	N	N½	O				
Sierrablen All Analyses	4	4.7					Q	R½	T½	V	X	Q (x2)	R (x2)	R½ (x2)							M	N	O	O½	P	Q	R	R½		
H2Pro H2Pro Granules	5	4.0		J	K½	M												H½	I	J										
Sportmaster CRF Mini All Analyses	5	4.0			L	M	M½	N½	O½	P½										J½	K½	L	L½	M						

Rotary Spreader Settings
for AccuPro 2000, SR-2000
Single Pass at **FULL RATE**

Rotary Spreader Settings
for AccuPro 2000, SR-2000
Double Pass at **HALF RATE**

www.icl-sf.co.uk | www.icl-sf.ie
Tel: +44 (0)1473 237123
Email: marketing.ukire@icl-group.com

Contact your local distributor or ICL Technical Area Sales Manager for more information.