# Safety Data Sheet

Issue Date 04-Feb-2014

Revision Date 10-Oct-2019

Version: 7.030001

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Product Name Product Code: Pure substance/mixture

Osmocote Exact Standard 3-4M; 16-9-12+2MgO+TE 88400225EA Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised againstRecommended UseFertilizer (PC12). Restricted to professional users.Uses Advised Against:Consumer use [SU 21].

**<u>1.3. Details of the supplier of the safety data sheet</u>** Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

## Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Mixture

Regulation (EC) No 1272/2008 (CLP) Chronic aquatic toxicity

Category 3 - (H412)

#### 2.2. Label elements

Hazard Statements:

H412 - Harmful to aquatic life with long lasting effects

#### Other hazards (UN-GHS)

H316 - Causes mild skin irritation

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Ammonium nitrate; NH4NO3	229-347-8	6484-52-2	40 - 65%	Eye Irrit. 2 (H319) Ox. Sol. 3 (H272)	01-2119490981-27
Iron sulphate; FeSO4+1H2O	231-753-5	7720-78-7	1 - 5%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	01-2119513203-57
Copper sulphate anhydrous; CuSO4	231-847-6	7758-98-7	0.1 - 1%	Eye Dam. 1 (H318) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119520566-40
Manganese sulphate; MnSO4+1H2O	232-08-99	7785-87-7	0.1 - 1%	STOT RE 2 (H373) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	01-2119456624-35

Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	215-540-4	1330-43-4	0.1 - 1%	Eye Irrit. 2 (H319) Repr. 1B (H360FD)	01-2119490790-32

Component	SVHC candidates
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	Present
1330-43-4 ( 0.1 - 1% )	

Full text of H- and EUH-phrases: see section 16

## Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

General Advice:	First aid measures should be executed by trained personnel only.
Inhalation	Dusty conditions are unlikely if product is used as intended. However, if prolonged inhalation of dust occurs, remove casualty to fresh air. If symptoms persist, call a physician.
Skin Contact:	If a person feels unwell or symptoms of skin irritation appear, consult a physician.
Eye Contact:	Rinse eyes with water as a precaution. If eye irritation persists, consult a specialist.
Ingestion:	If conscious, drink plenty of water. Do NOT induce vomiting. Rinse mouth. Consult a physician if necessary.

#### 4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

## Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media Suitable Extinguishing Media:

Water.

High volume water jet. Dry powder. Sand. Foam.

Unsuitable Extinguishing Media:

5.2. Special hazards arising from the substance or mixture

In case of fire, the product will smoulder even without the presence of external oxygen. In these conditions the product will show self sustaining decomposition. The best method to extinguish the fire is to cool the decomposition front with water. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### **Hazardous Combustion Products:**

Carbon oxides. Phosphorus oxides. Ammonia. Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

Coordinate fire extinguishing measures to fire in surrounding area. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray to cool fire exposed surfaces.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions:Avoid dust formation. Sweep-up to prevent slipping hazard.For Emergency Responders:Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Prevent product from entering drains. Do not contaminate surface water.

#### 6.3. Methods and material for containment and cleaning up

Methods for Containment: Methods for Cleanup: Prevent further leakage or spillage if safe to do so.

hods for Cleanup: Shovel or sweep up. Use up product completely. Packaging material is industrial waste.

#### 6.4. Reference to other sections

§ 8, 12, 13.

## Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

Keep away from heat and sources of ignition. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well. Keep at temperatures

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Packaging Materials: PGS-7 (The Netherlands) LGK (Germany)

5.1C

Store in original container. Store in a closed container.

#### 7.3. Specific end use(s) Specific use(s)

Exposure scenario

Fertilizer; www.everris.com; Read and follow label instructions Mixture. Not required.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

2/B

between 0 °C and 40 °C.

#### 8.1. Control parameters

Ammonium nitrate; NH4NO3	
Australia N.A.	
Czech Republic OEL 10.0 mg/m <sup>3</sup>	TWA
Iron sulphate; FeSO4+1H2O	
Belgium - 8 Hr TWA 1 mg/m	3
Denmark TWA: 1 m	g/m <sup>3</sup>
Finland TWA: 1 mg	
Ireland TWA: 1 mg	g/m³
STEL: 2 m	
Norway TWA: 1 m	
STEL: 2 m	0
Portugal TWA: 1 m	
Spain - Valores Limite Ambientales - VLE TWA: 1 m	
Switzerland TWA: 1 m	
UK EH40 WEL (8h) LTEL (8 hr TWA	
STEL (15 min)	2mg/m <sup>3</sup>
Copper sulphate anhydrous; CuSO4	
Austria STEL 4 m	g/m <sup>3</sup>
TWA: 1 m	g/m <sup>3</sup>
Australia N.A.	
Finland TWA: 0.02 r	-
Poland TWA: 0.2 m	
Russia TWA 0.5 mg/m³ TW	
Switzerland STEL: 0.2 n	
TWA: 0.1 m	ng/m <sup>3</sup>
Manganese sulphate; MnSO4+1H2O	
Austria STEL 2 m	
TWA: 0.5 m	
Australia 0.2 mg/r	
Belgium - 8 Hr TWA 0.2 mg/r	
Denmark TWA: 0.2 m	
Finland TWA: 0.02 mg/m <sup>3</sup> TV	
Ireland TWA: 0.2 m	ng/m <sup>3</sup>

	STEL: 0.6 mg/m <sup>3</sup>	
Japan	0.2 mg/m <sup>3</sup> OEL Mn	
NL MAC - TWA:	STEL: 0.05 mg/m <sup>3</sup>	
	TWA: 0.2 mg/m <sup>3</sup>	
Norway	TWA: 0.1 mg/m <sup>3</sup>	
	STEL: 0.1 ppm	
Poland	TWA: 0.05 mg/m <sup>3</sup>	
Portugal	TWA: 0.2 mg/m <sup>3</sup>	
Spain - Valores Limite Ambientales - VLE	TWA: 0.2 mg/m <sup>3</sup>	
	TWA: 0.05 mg/m <sup>3</sup>	
Switzerland	TWA: 0.5 mg/m <sup>3</sup>	
UK EH40 WEL (8h)	5 mg/m <sup>3</sup>	
Sodium borate; Na2B4O7		
Australia	1 mg/m³ TWA	
Belgium - 8 Hr TWA	2 mg/m <sup>3</sup> TWA borate	
Denmark	TWA: 1 mg/m <sup>3</sup>	
FR - OEL - 8h VMEs	TWA: 1 mg/m <sup>3</sup>	
Iceland - OEL - 8 Hour	1 mg/m³ TWA	
Ireland	TWA: 1 mg/m <sup>3</sup>	
	STEL: 3 mg/m <sup>3</sup>	
Korea - ISHA - OEL - TWAs	1 mg/m <sup>3</sup> TWA (anhydrous, Serial No. 244)	
Malaysia	1 mg/m³ TWA	
Norway	TWA: 1 mg/m <sup>3</sup>	
	STEL: 2 mg/m <sup>3</sup>	
Portugal	STEL: 6 mg/m <sup>3</sup>	
	TWA: 2 mg/m <sup>3</sup>	
Spain - Valores Limite Ambientales - VLE	STEL: 6 mg/m <sup>3</sup>	
	TWA: 2 mg/m <sup>3</sup>	
Singapore - OEL:PELs	1 mg/m <sup>3</sup> PEL	
Switzerland	STEL: 0.8 mg/m <sup>3</sup>	
UK EH40 WEL (8h)	1 mg/m³ TWA	

## Derived No Effect Level (DNEL)

Component	Oral	Dermal	Inhalation
Ammonium nitrate; NH4NO3 6484-52-2 ( 40 - 65% )	36 mg/m <sup>3</sup>	5.12 mg/kg bw/day	8.9 mg/m <sup>3</sup>
Manganese sulphate; MnSO <sub>4</sub> +1H <sub>2</sub> O 7785-87-7 (0.1 - 1%)	37.6 mg/m <sup>3</sup>	0.004 mg/kg bw/day	0.2 mg/m <sup>3</sup>

# Predicted No Effect Concentration (PNEC) No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Ammonium nitrate; NH4NO3 6484-52-2 ( 40 - 65% )						18 mg/l
Copper sulphate anhydrous; CuSO <sub>4</sub> 7758-98-7 ( 0.1 - 1% )	7.8 μg/l	87 mg/kg	5.2 μg/l	676 mg/kg	65 mg/kg	230 µg/l
Manganese sulphate; MnSO4+1H2O 7785-87-7 (0.1 - 1%)	0.013 mg/l	0.011 mg/kg	0 mg/l	0.001 mg/kg	25.1 mg/kg	25.1 mg/kg

## 8.2. Exposure controls

Personal protective equipment	Weer ave/fees protection
Eye/Face Protection	Wear eye/face protection
Hand protection	Gloves. Nitrile rubber (0.26 mm). Break through time. > 8 h.
Respiratory Protection	Not required; except in case of aerosol formation. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit
Skin and body protection:	Lightweight protective clothing
Hygiene Measures:	Follow good housekeeping practices. When using, do not eat, drink or smoke. Keep away

from food, drink and animal feeding stuffs.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties	
Physical State:	Solid
Appearance:	Granules
Color:	brown.
Odor:	None
Bulk density:	900 - 1100 kg/m³
Melting Point/Freezing Point:	No data available
Boiling Point/Range:	Solid. Not applicable.
Flash Point:	Solid. Not applicable.
Evaporation Rate:	Solid. Not applicable.
Flammability (solid, gas):	Not flammable
Vapor Pressure:	Solid. Not applicable.
Vapour density	Solid. Not applicable.
Relative density	No data available
Water Solubility:	No data available
Solubility(ies)	No data available
Partition Coefficient:	Solid. Not applicable.
Autoignition Temperature:	No data available
Decomposition temperature:	No data available
Explosive Properties:	Doesn't present explosion hazard.
9.2. Other information	
VOC Content (%):	Solid. Not applicable.

# Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

Not reactive.

#### 10.2. Chemical stability

Stable under normal conditions. <u>10.3. Possibility of hazardous reactions</u> None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

#### 10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

#### 10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

#### 10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

#### **Product Information**

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

#### Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact

May cause slight irritation.

#### **Skin Contact**

May cause irritation.

Ingestion

May cause gastrointestinal discomfort if consumed in large amounts.

#### Information on Toxicological Effects

# None known

## Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document: *ATEmix (oral):* 49,020.00 mg/kg

#### Unknown Acute Toxicity:

6% of the mixture consists of ingredient(s) of unknown toxicity.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium nitrate; NH4NO3	= 2217 mg/kg (Rat)	> 5000 mg/kg	> 88.8 mg/L (Rat)4 h
Iron sulphate; FeSO <sub>4</sub> +1H <sub>2</sub> O	= 500 mg/kg (Rat)	= 155 mg/kg (Rat)	
Copper sulphate anhydrous; CuSO4	= 300 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	
Manganese sulphate; MnSO4+1H2O	= 2125 mg/kg (Rat)		> 4.98 mg/L (Rat) 4h
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2 mg/m <sup>3</sup> (Rat) 4 h

#### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation	Classification based on individual ingredients of the mixture.
Respiratory or skin sensitization	Classification based on individual ingredients of the mixture.
Germ Cell Mutagenicity	Classification based on individual ingredients of the mixture.
Carcinogenicity	Classification based on individual ingredients of the mixture.
Reproductive Toxicity	Classification based on individual ingredients of the mixture.
STOT - Single Exposure	Classification based on individual ingredients of the mixture.
STOT - Repeated Exposure	Classification based on individual ingredients of the mixture.
Aspiration Hazard	Classification based on individual ingredients of the mixture.

# Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity Ecotoxicity Unknown Aquatic Toxicity

Should not be released into the environment 6% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Ammonium nitrate; NH4NO3	-	65 - 85: 48 h Cyprinus carpio mg/L LC50 semi-static	-	-
Iron sulphate; FeSO₄+1H₂O	-	925: 96 h Poecilia reticulata mg/L LC50 static 0.56: 96 h Cyprinus carpio mg/L LC50 semi-static	-	152: 48 h Daphnia magna mg/L EC50 6.15 - 9.26: 48 h Daphnia magna mg/L EC50 Static
Copper sulphate anhydrous; CuSO4	-	0.1: 96 h Oncorhynchus mykiss mg/L LC50	-	0.024: 48 h Daphnia magna mg/L EC50
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	158: 96 h Desmodesmus subspicatus mg/L	340: 96 h Limanda limanda mg/L LC50	-	1085 - 1402: 48 h Daphnia magna mg/L

<u>14.6</u>

Osmocote Exact Standard 3-4M	l; 16-9-12+2MgO+TE		Revision Date 10-Oct-2019
			LC50
12.2. Persistence and degradability Persistence and Degradability:	<u>/</u>	No persistent or cumulative	effects were observed.
12.3. Bioaccumulative potential Bioaccumulation:		Does not bioaccumulate.	
Chemical Name		LOGPOW	
Ammonium nitrate; NH4NO3		-3.1	
12.4. Mobility in soil		No data available.	
12.5. PBT and vPvB assessment		No data available.	
12.6. Other adverse effects		No data available.	
S	ection 13: DISPOS	AL CONSIDERATION	S
13.1. Waste treatment methods Disposal of Wastes:	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated Packaging: Other Information	Do not reuse container.	ely. Packaging material is indu	strial waste.
	Section 14: TRANS	PORT INFORMATION	
IMO / IMDG			
<u>14.1</u> UN-No:		2071	
1 <u>4.2_</u> Proper shipping name: 14.3		AMMONIUM NITRATE BAS	ED FERTILIZER
Hazard Class: 14.4		9	
Packing group: 14.5		III	
Chemical Name		IMDG - Marine Pollu	
Copper sulphate anhydrous; CuSO₄ 7758-98-7(0.1-1%)			ne pollutant (Listed in the index, ulphate, anhydrous, hydrates and
Marine Pollutant: 14.6		No information available	
EmS: Special Provisions		F-H / S-Q 186, 193	
<u>14.7</u> Bulk transport according Annex II	of MARPOL and IBC Code	e No data available	
ADR/RID			
<u>14.1</u> JN-No:		Not regulated	
1 <u>4.2</u> Proper shipping name: 14.3		Not regulated	
14.3 Hazard Class: 14.4		Not regulated	
Packing group: 14.5_		Not regulated	
Environmental Hazard 14.6		Not regulated	

Special Provisions	None
ΙΑΤΑ	
<u>14.1</u> UN-No:	2071
<u>14.2</u> Proper shipping name:	AMMONIUM NITRATE BASED FERTILIZER
<u>14.3</u> Hazard Class:	9
<u>14.4</u> Packing group:	ш
<u>14.5</u> Environmental Hazard	Not regulated
<u>14.6_</u> Special Provisions	A89, A90



# Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Belgium**

Component	Belgium - Major Accidents - Qualifying Quantities for Safety Reporting	Belgium - Major Accidents - Qualifying Quantities for Accident Prevention
Ammonium nitrate; NH₄NO₃ 6484-52-2 ( 40 - 65% )	2500 tonne (technical grade; (a) this applies to Ammonium nitrate in which the Nitrogen content as a result of Ammonium nitrate is (i) between 24.5% and 28% by weight and which contain <=0.4% total combustible or (ii) >28% by weight and which contain <=0.2% combustible substances (b) aqueous Ammonium nitrate solutions in which the concentration of Ammonium nitrate is >80% by weight)	
<u>Denmark</u> Denmark	В	
France ICPE	Classified installation: a	ticle 4702
<u>Germany</u> LGK (Germany) Water Endangering Class (WGK): Gefahrstoffverordnung (Germany) TRGS 511	5.1C 1 (Everris classification) B II	
Component	German WGK Sec	tion
Ammonium nitrate; NH₄NO₃ 6484-52-2 ( 40 - 65% )	1	
Iron sulphate; FeSO4+1H2O 7720-78-7 (1 - 5%)	1	
Copper sulphate anhydrous; CuSO₄ 7758-98-7 (0.1 - 1%)	2	
Manganese sulphate; MnSO₄+1H₂O 7785-87-7 ( 0.1 - 1% )	2	

Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	1
1330-43-4 ( 0.1 - 1% )	

Component		EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances
Ammonium nitrate; NH₄NO₃ 6484-52-2 ( 40 - 65% )	Present (in concentration of 16% by weight of Nitrogen in relation to Ammonium nitrate or higher)	Use restricted. See item 58. (Conditions of restrictions 27 June 2010)
Sodium borate; Na₂B₄O⁊ 1330-43-4 ( 0.1 - 1% )		Use restricted. See item 30.

Component	EU - REACH (1907/2006) - Article 59(1) - Candidate List of	
	Substances for Eventual Inclusion in Annex XIV	
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	Reason for inclusion Toxic for reproduction, Article 57c (215-540-4)	
1330-43-4 ( 0.1 - 1% )		

#### 15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006 Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Chemical Name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Ammonium nitrate; NH4NO3	Use restricted. See item 58.	
Sodium borate; Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub>	Use restricted. See item 30.	

Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
	350	2500
Ammonium nitrate; NH4NO3		

# Section 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

- H360FD - May damage fertility. May damage the unborn child

- H319 - Causes serious eye irritation

- H272 May intensify fire; oxidizer
- H302 Harmful if swallowed
- H318 Causes serious eye damage
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H315 Causes skin irritation

- H373 - May cause damage to the kidneys/ liver/ eyes/ brain/ respiratory system/ central nervous system through prolonged or repeated exposure in contact with skin

- H411 Toxic to aquatic life with long lasting effects
- H316 Causes mild skin irritation

#### Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

DNEL: Derived No-Effect Level

REACh: Registration, Evaluation, Authorization of Chemicals

CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit

TWA: Time Weighted Average

ATE: Acute Toxicity Estimate

EUH phrase: CLP (EU) specific hazard statement

LD50: Lethal dose, 50%. LC50: Lethal concentration, 50%. SVHC: Substance of Very High Concern. **Classification procedure** · Calculation method · Expert judgment and weight of evidence determination Key literature references and sources for data According to EC Regulation 1907/2006 (Reach), Regulation EU No. 2015/830. Regulation (EC) No 1272/2008 (CLP). Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM) Prepared by **Issue Date** 04-Feb-2014 **Restrictions on use** Restricted to professional users \*\*\* Indicates changes since the last revision. This version **Reason for revision** replaces all previous versions

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.

Page 10/10