

Version: 3.3	Revision Date: 08.02.2021
SECTION 1: Identification of	f the substance/mixture and of the company/undertaking
1.1 Product identifier	
Trade name	: NovaTec premium 15+3+20
1.2 Relevant identified uses of	the substance or mixture and uses advised against
Use of the Sub- stance/Mixture	: Fertilizer
1.3 Details of the supplier of th	e safety data sheet
Company	: COMPO EXPERT GmbH Kroegerweg 10 D-48155 Münster
Telephone	: +49 (0) 251 29 79 81 – 000
Telefax	: +49 (0) 251 29 79 81 - 111
E-mail address of person	: info@compo-expert.com

1.4 Emergency telephone number

responsible for the SDS

Quality / Safety / Environment Telephone: +49 (0) 2151 - 579 - 0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements	:	Not a hazardous substance or mixture ac- cording to Regulation (EC) No. 1272/2008.
Supplemental Hazard Statements	: EUH210	Safety data sheet available on request.
Further information		'Hazardous Substances" legislation (Ge- erordnung) appendix I, No. 5 (Ammonium Nitrate II)

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients



Version: 3.3	
--------------	--

Revision Date: 08.02.2021

3.2 Mixtures

Chemical nature

Fertilizer
 Contains
 NPK - fertilizer containing: Ammonium Nitrate, ammonium salts, phosphates, potassium sulphate, magnesium sulphate, salts of calcium, potassium and possibly magnesium and trace elements.
 1H-Pyrazole, 3,4-dimethyl-,phosphate (1:1)

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27- XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 10 - < 45
Borates, tetra sodium salts, pen- tahydrate	12179-04-3 215-540-4 01-2119490790-32- XXXX	Repr. 1B; H360FD Eye Irrit. 2; H319	<= 0,2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	 Move to fresh air. Obtain medical attention. If unconscious place in recovery position and seek medical advice. In case of lung irritation, first treatment with dexametason aerosol (spray).
In case of skin contact	: Wash off with soap and water.
In case of eye contact	: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed	: Clean mouth with water and drink afterwards plenty of water.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Ingestion may provoke the following symptoms: Methaemoglobinemia

Risks	:	Later control for pneumonia and lung oedema.



08.02.2021
medical attention and special treatment needed
: Treat symptomatically. There is no specific antidote available.
asures
a : Water
: Foam Dry chemical Carbon dioxide (CO2) Sand
n the substance or mixture
: At temperatures above 130 °C, dangerous decomposition gases can be emitted: Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammo- nia
t : In the event of fire, wear self-contained breathing apparatus.
: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protec	tive equipment and emergency procedures
Personal precautions	 Avoid dust formation. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.
6.2 Environmental precautions	
Environmental precautions	: Do not empty into drains. Retain and dispose of contaminated wash water.
6.3 Methods and material for con	tainment and cleaning up
Methods for cleaning up	: Use mechanical handling equipment.
6.4 Reference to other sections	

For personal protection see section 8.

SECTION 7: Handling and storage



Revision Date:

Version: 3.3

08.02.2021 7.1 Precautions for safe handling Advice on safe handling • Protect from contamination. Keep away from direct sunlight. Protect against heat. Protect from moisture. Advice on protection against : The product is not flammable. Keep away from heat and fire and explosion sources of ignition. Keep away from combustible materials. Hygiene measures : At the end of the shift the skin should be cleaned and skincare agents applied. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage : Keep away from heat. Keep away from sources of ignition -No smoking. Keep away from combustible material. Protect areas and containers from contamination. When stored loose do not mix with other fertilizers. Protect against humidity (product is hygroscopic and tends to cake or disintegrate) Further information on stor-: Protect against water. Keep away from direct sunlight. age conditions Storage class (TRGS 510) : 5.1C, Ammonium nitrate and ammonium nitrate containing preparations 7.3 Specific end use(s)

Specific use(s)

: Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Borates, tetra so- dium salts, pen- tahydrate	12179-04-3		3 mg/m3	DE TRGS 900
Peak-limit: excur- sion factor (catego- ry)	8;(II)			
Further information	Commission for dangerous substances, The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		AGW	0,5 mg/m3 (Borate)	DE TRGS 900
Peak-limit: excur- sion factor (catego-	2;(I)			



Version: 3.3

Revision Date: 08.02.2021

ry)	
Further information	Commission for dangerous substances, The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child
	1 mg/m3 ACGIHTLV

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
Borates, tetra sodium salts, pentahydrate	Workers	Inhalation	Long-term exposure	6,7 mg/m3
	Consumers	Inhalation	Long-term exposure	3,4 mg/m3
	Workers	Skin contact	Long-term exposure	316,4 mg/kg bw/day
	Consumers	Skin contact	Long-term exposure	159,5 mg/kg bw/day
	Consumers	Ingestion	Long-term exposure, Short-term exposure	0,79 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonium nitrate	Sewage treatment plant	18 mg/l
Borates, tetra sodium salts, pen- tahydrate	Fresh water	2,9 mg/l
	Marine water	2,9 mg/l
	Soil	5,7 mg/kg
	Intermittent use/release	13,7 mg/l
	Sewage treatment plant	10 mg/l

8.2 Exposure controls



Revision Date: 08.02.2021

Version: 3.3

Personal protective equipmer	nt
Respiratory protection	: respiratory protection only if aerosol or dust is formed. Particle filter EN 143 Type P1, low efficiency, (solid particles of inert substances).
Environmental exposure cont	rols
General advice	: Do not empty into drains. Retain and dispose of contaminated wash water.
SECTION 9: Physical and chem	nical properties
9.1 Information on basic physical	and chemical properties
Appearance	: granular
Colour	: various
Odour	: very faint
Odour Threshold	: No data available
рН	: ca. 5 - 5,5, Concentration: 100 g/l (20 °C)
Melting point/range	: No data available
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: Not explosive
Lower explosion limit	: Not explosive
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Bulk density	: ca. 1.150 kg/m³
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Decomposition temperature	: > 130 °C To avoid thermal decomposition, do not overheat.



Version: 3.3	Revision Date: 08.02.2021
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: Not considered an oxidizing substance
9.2 Other information	
No data available	
SECTION 10: Stability and r	eactivity
10.1 Reactivity	
No decomposition if stored	and applied as directed.
10.2 Chemical stability No decomposition if stored a	and applied as directed.
10.3 Possibility of hazardous r	eactions
Hazardous reactions	: Evolution of ammonia under influence of alkalies.
10.4 Conditions to avoid	
Conditions to avoid	: Protect from frost, heat and sunlight. Avoid moisture.
10.5 Incompatible materials	
Materials to avoid	: Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or alkaline reacting substances, flammable oxidizable substanc- es, nitrites, metallic salts, metallic powder, herbicide, chlorin- ated hydrocarbons, organic compounds.
10.6 Hazardous decomposition	n products
	: Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammo-

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Components:



		Revision E 08.02.2
ammonium nitrate:		
Acute oral toxicity	: LD50 (Rat): > 2.950 mg/kg Method: OECD Test Guideline 401	
Acute inhalation toxicity	: > 88,8 mg/l Method: No information available.	
Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402	
Borates, tetra sodium salt Acute oral toxicity	s, pentahydrate: : LD50 (Rat): 3.200 - 3.400 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): > 2,0 mg/l Method: OECD Test Guideline 403	
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg	
Skin corrosion/irritation		
Result: non-irritant <u>Components:</u> ammonium nitrate: Species: Rabbit Method: OECD Test Guidel Result: non-irritant	ine 404	
Borates, tetra sodium salt	s, pentahydrate:	
Species: Rabbit Result: No skin irritation		
Species: Rabbit Result: No skin irritation Serious eye damage/eye i	rritation	
Result: No skin irritation		
Result: No skin irritation Serious eye damage/eye i <u>Product:</u> Species: Rabbit Method: OECD Test Guidel		



Version: 3.3

Revision Date: 08.02.2021

Species: Rabbit Assessment: Irritant Result: Moderate eye irritation

Respiratory or skin sensitisation

Product: Result: non-sensitizing

Components:

ammonium nitrate:

Result: Does not cause skin sensitisation.

Borates, tetra sodium salts, pentahydrate:

Test Type: Buehler Test Species: Guinea pig Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro

: Remarks: Contains no hazardous ingredients according to GHS

Components:

ammonium nitrate: Genotoxicity in vitro

: Method: OECD Test Guideline 471 Result: negative

Borates, tetra sodium salts, pentahydrate:

Germ cell mutagenicity- As- : In vitro tests showed mutagenic effects sessment

Carcinogenicity

Product: Remarks: Contains no ingredient listed as a carcinogen

Components:

ammonium nitrate:

Species: Rat Remarks: Animal testing did not show any carcinogenic effects.

Borates, tetra sodium salts, pentahydrate:

Carcinogenicity - Assess- : Carcinogenicity classification not possible from current data. ment

Material Safety Data Sheet

according to Regulation (EC) No. 1907/2006

NovaTec premium 15+3+20



COMPO EXPERT.

Revision Date: 08.02.2021

Reproductive toxicity

Product:			
Effects on fertility	:	Remarks: No toxicity to reproduction	
Effects on foetal develop- ment	:	Remarks: Did not show teratogenic effects in animal experi- ments. Information given is based on data obtained from similar sub- stances.	
Components:			
ammonium nitrate:			
Effects on fertility	:	Species: Rat	
		Remarks: Animal testing did not show any effects on fertility.	
Effects on foetal develop- ment	:	Species: Rat Remarks: Did not show teratogenic effects in animal experi- ments.	
Borates, tetra sodium salts, pentahydrate:			
Reproductive toxicity - As- sessment		In animal testing, risk of impaired fertility was shown only after administration of very high doses of this substance. May damage fertility. May damage the unborn child.	

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

ammonium nitrate: Species: Rat NOAEL: > 1.500 mg/kg Application Route: Oral Exposure time: 28 d

Species: Rat



Version: 3.3

Revision Date: 08.02.2021

NOAEL: = 256 mg/kg Application Route: Oral Exposure time: 52 w Method: OECD Test Guideline 453

Species: Rat NOAEL: >= 185 mg/kg Application Route: by inhalation Exposure time: 2 w Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

Experience with human exposure

Product:

General Information

: Danger of methaemoglobin formation.

Further information

Product:

Remarks: The product was not tested. The statement was derived from products of similar structure and composition.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish :	LC50 (Cyprinus carpio (Carp)): 422 mg/l Exposure time: 48 h Test Type: static test
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia (water flea)): 555 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae :	No observed effect concentration (Desmodesmus subspicatus (green algae)): 83 mg/l Exposure time: 168 h Test Type: other Method: No data available
Toxicity to bacteria :	EC20 (activated sludge): ca. > 100 mg/l Exposure time: 0,5 h Test Type: other Method: No data available
<u>Components:</u> ammonium nitrate:	
	LC50 (Fish): > 100 mg/l



Version: 3.3	Revision 08.02	
	Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia (water flea)): 490 mg/l Exposure time: 48 h	
	LC50 : 490 mg/l	
Toxicity to algae	: EC50 (Selenastrum capricornutum (green algae)): 1.700 Exposure time: 10 d	mg/l
Borates, tetra sodium salts,	entahydrate:	
Toxicity to fish	: LC50 (dab): 74 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 242 mg/l Exposure time: 24 h	
Toxicity to algae	: EC10 (Scenedesmus subspicatus): 24 mg/l Exposure time: 96 h	
12.2 Persistence and degradabil	,	
Product:		
Biodegradability	: Remarks: The product works in the soil as fertilizer and is diminished in a few weeks.	
Components:		
ammonium nitrate:		
Biodegradability	: Remarks: The methods for determining the biological deg dability are not applicable to inorganic substances.	ira-
12.3 Bioaccumulative potential		
Product:		
Bioaccumulation	: Remarks: Bioaccumulation is unlikely.	
Components:		
ammonium nitrate:		
Bioaccumulation	: Remarks: Bioaccumulation is unlikely.	
Partition coefficient: n- octanol/water	: log Pow: -3,1	
12.4 Mobility in soil		
Product:		
Mobility	: Remarks: No data available	



Version: 3.3

Revision Date: 08.02.2021

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: Remarks: No data available

12.6 Other adverse effects

Additional ecological information	 Disposal via sewage water treatment plants may cause impairment of the nitrification activity of the activated sludge. There is a high probability that the product is acute not harmful to aquatic organisms. Additional ecological information The product has not been tested. The information is derived from the properties of the individual components. At higher pH values, which can be found in natural surface waters, an increase of toxic effects on aquatic organisms may be expected.
-----------------------------------	---

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Check if agriculture use is possible. Contact manufacturer.
Contaminated packaging	: Contaminated packaging should be emptied as far as possi- ble; then it can be passed on for recycling after being thor- oughly cleaned.

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Remarks : Not relevant



Version: 3.3

Revision Date: 08.02.2021

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class (Germany)	: WGK 1 slightly water endangering	
Other regulations	: TRGS 511 'Ammonium nitrate'	
	This product is subject to Regulation (EU) 2019/1148; suspi- cious transactions, disappearance or theft of the product mus be reported to the relevant authority.	

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this product.

SECTION 16: Other information

Full text of H-Statements

H272 :	May intensify fire; oxidizer.
H319 :	Causes serious eye irritation.
H360FD :	May damage fertility. May damage the unborn child.

Full text of other abbreviations

Eye Irrit.	:	Eye irritation
Ox. Sol.	:	Oxidizing solids
Repr.	:	Reproductive toxicity

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials: bw - Body weight: CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentra-tion; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID



Version: 3.3

Revision Date: 08.02.2021

- Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN