Safety Data Sheet

Issue Date 19-Dec-2013

Revision Date 10-Oct-2019

Version: 7

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Product Name Product Code: Synonyms: Pure substance/mixture

Greenmaster Pro-Lite Autumn; 6-5-10+6Fe 52080125DA Greenmaster Pro-Lite 6-2.2-8.3+6Fe Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised againstRecommended UseFertilizer (PC12). Restricted to professional users.Uses Advised Against:Consumer use [SU 21].

<u>1.3. Details of the supplier of the safety data sheet</u> Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008 (CLP) **Eye Irritation**

Category 2 - (H319)

2.2. Label elements



Signal Word: Warning

Hazard Statements: H315 - Causes skin irritation H318 - Causes serious eye damage H302 - Harmful if swallowed

Contains Iron sulphate; FeSO4+1H2O, Potassium sulphate; K2SO4, Single super phosphate; SSP

Precautionary Statements:

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention

P337 + P313 - II eye imitation persists. Get medical advice/a

Other hazards (UN-GHS)

Harmful to aquatic life

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Iron sulphate; FeSO₄+1H₂O	231-753-5	7720-78-7	25 - 40%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	01-2119513203-57
Potassium sulphate; K ₂ SO ₄	231-915-5	7778-80-5	10 - 25%	Eye Dam. 1 (H318)	01-2119489441-34
Single super phosphate; SSP	232-379-5	8011-76-5	10 - 25%	Eye Dam. 1 (H318)	01-2119488967-11
Urea	200-315-5	57-13-6	1 - 5%	Not classified	01-2119463277-33

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

First aid measures should be executed by trained personnel only.
Move person to fresh air. If symptoms persist, call a physician.
Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use. If symptoms persist, call a physician.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Rinse mouth. Do NOT induce vomiting. If symptoms persist, call a physician. Call a physician or Poison Control Centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media Suitable Extinguishing Media:

Suitable Extinguishing Media:

Coordinate fire extinguishing measures to fire in surrounding area. Use dry chemical, CO2, water spray or "alcohol" foam.

Unsuitable Extinguishing Media:

High volume water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: Use personal protective equipment

For Emergency Responders:

Use personal protective equipment. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Methods for Containment:Prevent further leakage or spillage if safe to do so.Methods for Cleanup:Avoid dust formation. Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Store in original container. Keep tightly closed in a dry and cool place. Keep away from food, drink and animal feeding stuffs.Protect from extreme temperatures.Store in original container. Store in a closed container.13

Packaging Materials:

LGK (Germany)

7.3. Specific end use(s) Specific use(s)

Exposure scenario

Fertilizer; www.everris.com; Read and follow label instructions Mixture. Not required.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Iren eulebate: FeCO 1110		
Iron sulphate; FeSO4+1H2O		
Belgium - 8 Hr TWA	1 mg/m ³	
Denmark	TWA: 1 mg/m ³	
Finland	TWA: 1 mg/m ³	
Ireland	TWA: 1 mg/m ³	
	STEL: 2 mg/m ³	
Norway	TWA: 1 mg/m ³	
	STEL: 2 mg/m ³	
Portugal	TWA: 1 mg/m ³	
Spain - Valores Limite Ambientales - VLE	TWA: 1 mg/m ³	
Switzerland	TWA: 1 mg/m ³	
UK EH40 WEL (8h)	LTEL (8 hr TWA) 1 mg/m ³	
	STEL (15 min) 2mg/m ³	
Potassium sulphate; K ₂ SO ₄		
Bulgaria - OEL- TWAs	10.0 mg/m³ TWA	
Latvia - OEL - TWAs	10 mg/m³ TWA	
Single super phosphate; SSP		
Bulgaria - OEL- TWAs	5.0 mg/m ³ TWA (listed under Double superphosphate)	
Urea		
Bulgaria - OEL- TWAs	10.0 mg/m³ TWA	
Latvia - OEL - TWAs	10 mg/m³ TWA	

Derived No Effect Level (DNEL)

Component	Oral	Dermal	Inhalation
Potassium sulphate; K ₂ SO ₄		21.3 mg/kg bw/day	37.6 mg/m ³
7778-80-5(10 - 25%)			
Urea		580 mg/kg bw/day	292 mg/m ³
57-13-6(1-5%)			

<u>Predicted No Effect Concentration (PNEC)</u> No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Potassium sulphate; K ₂ SO ₄ 7778-80-5 (10 - 25%)	0.68 mg/l		0.068 mg/l			10 mg/l
Urea 57-13-6(1 - 5%)	0.47 mg/l		0.047 mg/l			

8.2. Exposure controls

Personal protective equipment	
Eye/Face Protection	Tightly fitting safety goggles Not required
Hand protection	Nitrile rubber (0.26 mm). Break through time. > 8 h.
Respiratory Protection	Effective dust mask
Skin and body protection:	Lightweight protective clothing Rubber or plastic boots
Hygiene Measures:	When using, do not eat, drink or smoke. Wash hands before stopping and immediately after
	handling. Remove and wash contaminated clothing before re-use.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid
Color:	light grey.
Odor:	None
Bulk density:	+/- 1000 kg/m ³ no data available
Melting Point/Freezing Point:	No data available
Boiling Point/Range:	Solid. Not applicable.
Flash Point:	Solid. Not applicable.
Evaporation Rate:	Solid. Not applicable.
Flammability (solid, gas):	Not flammable
Vapor Pressure:	Solid. Not applicable.
Vapour density	Solid. Not applicable.
Relative density	No data available
Water Solubility:	No data available
Solubility(ies)	No data available
Partition Coefficient:	Solid. Not applicable.
Autoignition Temperature:	No data available
Decomposition temperature:	No data available
Explosive Properties:	Doesn't present explosion hazard.
9.2. Other information	
VOC Content (%):	Solid. Not applicable.

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity Not reactive.

10.2. Chemical stability

Stable under normal conditions. **10.3. Possibility of hazardous reactions** None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

10.4. Conditions to avoid

Nitrogen oxides (NOx).

10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Inhalation	Inhalation of dust in high concentration may cause irritation of respiratory system.	
Eye contact	May cause slight irritation.	
Skin Contact	May cause irritation.	
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.	
Information on Toxicological Effect None known Acute Toxicity The following values are calculated ba ATEmix (oral):	<u>s</u> ased on chapter 3.1 of the GHS document: <i>1,636.00 mg/kg</i>	

Unknown Acute Toxicity:

0% of the mixture consists of ingredient(s) of unknown toxicity.

Potassium sulphate; K₂SO₄ (7778-80-5)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Iron sulphate; FeSO ₄ +1H ₂ O	= 500 mg/kg (Rat)	= 155 mg/kg (Rat)	
Potassium sulphate; K ₂ SO ₄	= 6600 mg/kg (Rat)	> 2000 mg/kg (Rat)	N.E.
Urea	= 8471 mg/kg (Rat)		

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation	Classification based on individual ingredients of the mixture.
Respiratory or skin sensitization	Classification based on individual ingredients of the mixture.
Germ Cell Mutagenicity	Classification based on individual ingredients of the mixture.
Carcinogenicity	Classification based on individual ingredients of the mixture.
Reproductive Toxicity	Classification based on individual ingredients of the mixture.
STOT - Single Exposure	Classification based on individual ingredients of the mixture.
STOT - Repeated Exposure	Classification based on individual ingredients of the mixture.
Aspiration Hazard	Classification based on individual ingredients of the mixture.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity Unknown Aquatic Toxicity

Should not be released into the environment 0% of the mixture consists of components(s) of unknown hazards

to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Iron sulphate; FeSO₄+1H₂O	-	925: 96 h Poecilia reticulata mg/L LC50 static 0.56: 96 h Cyprinus carpio mg/L LC50 semi-static	-	152: 48 h Daphnia magna mg/L EC50 6.15 - 9.26: 48 h Daphnia magna mg/L EC50 Static
Potassium sulphate; K ₂ SO ₄	2900: 72 h Desmodesmus subspicatus mg/L EC50	653: 96 h Lepomis macrochirus mg/L LC50 3550: 96 h Lepomis macrochirus mg/L LC50 static 510 - 880: 96 h Pimephales promelas mg/L LC50 static	-	890: 48 h Daphnia magna mg/L EC50
Urea	> 10000: 192 h Scenedesmus quadricauda mg/L EC50	16200 - 18300: 96 h Poecilia reticulata mg/L LC50	-	3910: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna Straus mg/L EC50

12.2. Persistence and degradability Persistence and Degradability:

No persistent or cumulative effects were observed.

12.3. Bioaccumulative potential **Bioaccumulation:**

Chemical Name LOGPOW Urea -1.59 No data available.

12.4. Mobility in soil

12.5. PBT and vPvB assessment

12.6. Other adverse effects

Does not bioaccumulate.

No data available.

No data available.

Section 13: DISPOSAL CONSIDERATIONS

<u>13.1. Waste treatment methods</u> Disposal of Wastes:	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging:	Do not reuse container.
Other Information	Use up product completely. Packaging material is industrial waste.

Section 14: TRANSPORT INFORMATION

IMO / IMDG	
<u>14.1</u>	
UN-No:	Not regulated
<u>14.2</u>	
Proper shipping name:	Not regulated
<u>14.3</u>	N / / / /
Hazard Class:	Not regulated
<u>14.4</u>	N / / / /
Packing group:	Not regulated
<u>14.5</u>	No. information, and taken
Marine Pollutant:	No information available
<u>14.6</u>	Neg
Special Provisions	None

14.7

Bulk transport according Annex II of MARPOL and IBC Code No data available

ADR/RID				
<u>14.1</u>	Not regulated			
UN-No: 14.2_	Not regulated			
Proper shipping name:	Not regulated			
<u>14.3</u>	-			
Hazard Class:	Not regulated			
14.4 Desking groups	Not regulated			
Packing group: 14.5	Not regulated			
Environmental Hazard	Not regulated			
<u>14.6</u>				
Special Provisions	None			
ΙΑΤΑ				
14.1				
UN-No:	Not regulated			
<u>14.2</u>	-			
<u>14.2</u> Proper shipping name:	Not regulated			
<u>14.2</u> Proper shipping name: <u>14.3</u>	Not regulated			
<u>14.2</u> Proper shipping name: <u>14.3</u> Hazard Class:	-			
14.2Proper shipping name:14.3Hazard Class:14.4Packing group:	Not regulated			
14.2Proper shipping name:14.3Hazard Class:14.4Packing group:14.5	Not regulated Not regulated Not regulated			
14.2Proper shipping name:14.3Hazard Class:14.4Packing group:	Not regulated			

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Belgium

Denmark Denmark	No data available
France ICPE	Not regulated
<u>Germany</u> LGK (Germany) Water Endangering Class (WGK): Gefahrstoffverordnung (Germany) TRGS 511	13 1 (Everris classification) Not regulated
Component	German WGK Section
Iron sulphate; FeSO4+1H2O 7720-78-7 (25 - 40%)	1
Potassium sulphate; K ₂ SO ₄ 7778-80-5 (10 - 25%)	1
Single super phosphate; SSP 8011-76-5 (10 - 25%)	NWG
Urea	1

Registration number (UK):

MAPP 16762

15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006

Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H302 Harmful if swallowed
- H318 Causes serious eye damage

Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dang	gerous Goods by Rail
ICAO: International Civil Aviation Organization	
ADR: European Agreement concerning the International Carriage	e of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonized System of Classification and Labeling	g of Chemicals
EINECS: European Inventory of Existing Commercial Chemical S	Substances
CAS: Chemical Abstracts Service (division of the American Che	mical Society)
PNEC: Predicted No Effect Concentration	
DNEL: Derived No-Effect Level	
REACh: Registration, Evaluation, Authorization of Chemicals	
CLP: EU-GHS; Classification, Labelling and Packaging	
OEL: Occupational Exposure Limit	
TWA: Time Weighted Average	
ATE: Acute Toxicity Estimate	
EUH phrase: CLP (EU) specific hazard statement	
LD50: Lethal dose, 50%.	
LC50: Lethal concentration, 50%.	
SVHC: Substance of Very High Concern.	
Classification procedure	Calculation method
	 Expert judgment and weight of evidence determination
Key literature references and sources for data	According to EC Regulation 1907/2006 (Reach), Regulation EU No. 2015/830. Regulation (EC) No 1272/2008 (CLP).
Prepared by	Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

Issue Date

Restrictions on use

Reason for revision

Restricted to professional users

***	Indicates	changes	since	the	last	revision.	This	version	
rep	laces all i	previous v	/ersior	าร					

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.

19-Dec-2013